

Safety Information Sheet for Medical Devices

Copyright, 2020, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 16-5643-8 **Version number:** 2.00

Revision date: 27/07/2020 **Supersedes date:** 20/07/2020

Transportation version number: 1.00 (27/07/2020)

A safety data sheet is not required for this Product. This Safety Information Sheet has been created on a voluntary basis.

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

3MTM ImpregumTM PentaTM / ImpregumTM PentaTM Medium Body / ImpregumTM PentaTM L DuoSoft/ ImpregumTM Soft LB (31615, 31616, 31642, 31644, 31684, 31744, 31745, 31746, 31747, 31791, 31793, 77796)

Product Identification Numbers

70-2011-2485-9 70-2011-2486-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Medical device; refer to Instructions for Use

Restrictions on Use

For use only by dental professionals

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

Telephone: +44 (0)1344 858 000 E Mail: tox.uk@mmm.com Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

This product is a kit or a multipart product which consists of multiple, independently packaged components. Safety Information Sheet for Medical Devices for each of these components is included. Please do not separate the component Safety Information Sheet for Medical Devices from this cover page. The document numbers of the Safety Information Sheet for Medical Devices for components of this product are:

16-5550-5, 16-5547-1

TRANSPORTATION INFORMATION

70-2011-2485-9, 70-2011-2486-7

ADR/RID: UN3077, NOT RESTRICTED AS PER SPECIAL PROVISION 375, ENVIRONMENTALLY HAZARDOUS SUBSTANCE EXEMPTION, DIBENZYLTOLUENE, 1-DODECYLIMIDAZOLEREQUIRED, III, --.

IMDG-CODE: UN3077, NOT RESTRICTED AS PER IMDG CODE 2.10.2.7, MARINE POLLUTANT EXCEPTION, DIBENZYLTOLUENE, 1-DODECYLIMIDAZOLEREQUIRED, III, IMDG-Code segregation code: NONE, EMS: --.

ICAO/IATA: UN3077, NOT RESTRICTED AS PER SPECIAL PROVISION A197, ENVIRONMENTALLY HAZARDOUS SUBSTANCE EXCEPTION, DIBENZYLTOLUENE, 1-DODECYLIMIDAZOLEREQUIRED, III.

KIT LABEL

2.1. Classification of the substance or mixture

Please refer to Kit Components

Revision information:

A revision has been performed due to the need to update the safety information for the medical device.

3MTM ESPETM IMPREGUMTM PENTATM / IMPREGUMTM PENTATM MEDIUM BODY / IMPREGUMTM PENTATM L DUOSOFT/ IMPREGUMTM PENTATM SOFT LB BASE

24/01/2020



Safety Information Sheet for Medical Devices

Copyright, 2020, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 16-5547-1
 Version number:
 2.00

 Revision date:
 24/01/2020
 Supersedes date:
 21/10/2019

Transportation version number: 1.00 (24/01/2020)

A safety data sheet is not required for this Product. This Safety Information Sheet has been created on a voluntary basis.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

 $3M^{\mathsf{TM}}\,IMPREGUM^{\mathsf{TM}}\,PENTA^{\mathsf{TM}}\,/\,IMPREGUM^{\mathsf{TM}}\,PENTA^{\mathsf{TM}}\,MEDIUM\,BODY\,/\,IMPREGUM^{\mathsf{TM}}\,PENTA^{\mathsf{TM}}\,L\\DUOSOFT/\,IMPREGUM^{\mathsf{TM}}\,PENTA^{\mathsf{TM}}\,SOFT\,LB\,BASE$

Product Identification Numbers

LE-F100-2612-9 LE-FSFD-3122-6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Medical device; refer to Instructions for Use

Restrictions on Use

For use only by dental professionals

1.3 Details of the supplier of the safety information sheet for medical devices

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

Telephone: +44 (0)1344 858 000 E Mail: tox.uk@mmm.com Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

This product is a medical device as defined in Directive 93/42/EEC (MDD) respectively Regulation (EU) 2017/745 (MDR), which is invasive or used in direct physical contact with the human body, and therefore is exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5). Although not required, the classification and label information, as applicable, is provided below.

Page: 1 of 11

$3M^{TM}$ ESPETM IMPREGUMTM PENTATM / IMPREGUMTM PENTATM MEDIUM BODY / IMPREGUMTM PENTATM L DUOSOFT/ IMPREGUMTM PENTATM SOFT LB BASE

24/01/2020

CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319 Skin Sensitization, Category 1A - Skin Sens. 1A; H317 Hazardous to the Aquatic Environment (Acute), Category 1 - Aquatic Acute 1; H400 Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

WARNING.

Symbols:

GHS07 (Exclamation mark) |GHS09 (Environment) |

Pictograms





Ingredients:

Ingredient	CAS Nbr	EC No.	% by Wt
Laurylimidazole	4303-67-7	224-314-4	< 1
Mint flavor	68917-18-0		< 0.4
Mint flavor	98561-44-5	308-804-6	< 0.4

HAZARD STATEMENTS:

H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention:

P280E Wear protective gloves.

P273 Avoid release to the environment.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/internation

regulations.

Page: 2of 11

 $3M^{TM}$ ESPETM IMPREGUMTM PENTATM / IMPREGUMTM PENTATM MEDIUM BODY / IMPREGUMTM PENTATM L DUOSOFT/ IMPREGUMTM PENTATM SOFT LB BASE

24/01/2020

Notes on labelling

H373 does not apply. Material is a paste, with no potential for inhalation exposure.

2.3. Other hazards

For information on hazards and safe use, please consider the corresponding sections of this document.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EC No.	% by Wt	Classification
Polyether	110531-92-5		50 - 70	Eye Irrit. 2, H319
Fatty acid esters	67701-27-3	266-945-8	1 - 20	Substance not classified as hazardous
Polyether acetate	91825-26-2		1 - 20	Substance not classified as hazardous
Diatomaceous earth (respirable cristobalite fraction 1-<10%)	68855-54-9	272-489-0	1 - 20	STOT RE 2, H373
Aromatic hydrocarbon	26898-17-9	248-097-0	0 - 10	Aquatic Chronic 1, H410,M=1
Laurylimidazole (REACH Reg. No.:01-2120068170-65)	4303-67-7	224-314-4	<1	Aquatic Acute 1, H400,M=100; Aquatic Chronic 1, H410,M=10 Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1A, H317
Mint flavor	98561-44-5	308-804-6	< 0.4	Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317
Mint flavor	68917-18-0		< 0.4	Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1B, H317

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SIS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Page: 3of 11

3MTM ESPETM IMPREGUMTM PENTATM / IMPREGUMTM PENTATM MEDIUM BODY / IMPREGUMTM PENTATM L DUOSOFT/ IMPREGUMTM PENTATM SOFT LB BASE

24/01/2020

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

SubstanceConditionCarbon monoxideDuring combustion.Carbon dioxide.During combustion.Irritant vapours or gases.During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SIS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

Refer to Instructions for Use (IFU) for more information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Silicon dioxide	68855-54-9	UK HSC	TWA(as inhalable dust):6	
			mg/m3;TWA(as respirable dust):2.4	
			mg/m3	
Quartz	68855-54-9	UK HSC	TWA(respirable):0.1 mg/m3	

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Page: 4of 11

3M™ ESPE™ IMPREGUM™ PENTA™ / IMPREGUM™ PENTA™ MEDIUM BODY / IMPREGUM™ PENTA™ L DUOSOFT/ IMPREGUM™ PENTA™ SOFT LB BASE

24/01/2020

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety information sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

See Section 7.1 for additional information on skin protection.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Solid. Colour Purple **Specific Physical Form:** Paste

Odor Characteristic Odour pН Not applicable. Boiling point/boiling range Not applicable. Melting point Not applicable. Flammability (solid, gas) Not classified

Not classified **Explosive properties Oxidising properties** Not classified Flash point

Flash point > 93 °C (200 °F)

Autoignition temperature No data available. Flammable Limits(LEL) Not applicable. Flammable Limits(UEL) Not applicable.

Relative density > 1 [Ref Std:WATER=1]

Water solubility Negligible Viscosity 40 Pa-s - 150 Pa-s **Density** 1 - 1.2 g/cm3

9.2. Other information

EU Volatile Organic Compounds No data available. Molecular weight No data available. Percent volatile No data available.

Page: 5of 11

 $3M^{\text{TM}}$ ESPETM IMPREGUMTM PENTATM / IMPREGUMTM PENTATM MEDIUM BODY / IMPREGUMTM PENTATM L DUOSOFT/ IMPREGUMTM PENTATM SOFT LB BASE

24/01/2020

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Strong acids.

Strong bases.

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye contact

Moderate eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and

Page: 6of 11

3MTM ESPETM IMPREGUMTM PENTATM / IMPREGUMTM PENTATM MEDIUM BODY / IMPREGUMTM PENTATM L DUOSOFT/ IMPREGUMTM PENTATM SOFT LB BASE

24/01/2020

diarrhoea.

Additional Health Effects:

Carcinogenicity:

Exposures needed to cause the following health effect(s) are not expected during normal, intended use:

Contains a chemical or chemicals which can cause cancer.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Polyether	Dermal	Professional judgement	LD50 Not applicable
Polyether	Ingestion	Rat	LD50 > 2,000 mg/kg
Diatomaceous earth (respirable cristobalite fraction 1-<10%)	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Diatomaceous earth (respirable cristobalite fraction 1-<10%)	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 2.7 mg/l
Diatomaceous earth (respirable cristobalite fraction 1-<10%)	Ingestion	Rat	LD50 > 2,000 mg/kg
Fatty acid esters	Dermal	Rabbit	LD50 > 2,000 mg/kg
Fatty acid esters	Ingestion	Rat	LD50 > 2,000 mg/kg
Aromatic hydrocarbon	Dermal	Rabbit	LD50 > 2,000 mg/kg
Aromatic hydrocarbon	Ingestion	Rat	LD50 > 10,360 mg/kg
Polyether acetate	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Polyether acetate	Ingestion	Rat	LD50 > 2,000 mg/kg
Laurylimidazole	Ingestion	Rat	LD50 641 mg/kg
Mint flavor	Dermal	Rabbit	LD50 > 5,000 mg/kg
Mint flavor	Ingestion	Rat	LD50 1,240 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Polyether	Rabbit	No significant irritation
Diatomaceous earth (respirable cristobalite fraction 1-<10%)	In vitro data	No significant irritation
Laurylimidazole	Rabbit	Mild irritant
Mint flavor	Rabbit	Mild irritant
Mint flavor	Not available	Irritant

Serious Eve Damage/Irritation

Serious Lye Damage/III tation						
Name	Species	Value				
Polyether	Rabbit	Moderate irritant				
Diatomaceous earth (respirable cristobalite fraction 1-<10%)	Rabbit	Mild irritant				
Laurylimidazole	In vitro data	Severe irritant				
Mint flavor	In vitro data	Severe irritant				

Skin Sensitisation

Name	Species	Value
Polyether	Guinea pig	Not classified
Diatomaceous earth (respirable cristobalite fraction 1-<10%)	Mouse	Not classified

Page: 7of 11

$3M^{TM}$ ESPETM IMPREGUMTM PENTATM / IMPREGUMTM PENTATM MEDIUM BODY / IMPREGUMTM PENTATM L DUOSOFT/ IMPREGUMTM PENTATM SOFT LB BASE

24/01/2020

Laurylimidazole	Mouse	Sensitising
Mint flavor	Not available	Sensitising
Mint flavor	Guinea pig	Sensitising

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name Route Value					
Ivanic	Koute	value			
Polyether	In Vitro	Not mutagenic			
Diatomaceous earth (respirable cristobalite fraction 1-<10%)	In Vitro	Some positive data exist, but the data are not sufficient for			
,		classification			
Polyether acetate	In Vitro	Not mutagenic			
Laurylimidazole	In Vitro	Not mutagenic			

Carcinogenicity

Name	Route	Species	Value
Diatomaceous earth (respirable cristobalite fraction 1-<10%)	Inhalation	Human and animal	Carcinogenic.

Reproductive Toxicity

Reproductive and/or Developmental Effects

For the component/components, either no data is currently available or the data is not sufficient for classification.

Target Organ(s)

Specific Target Organ Toxicity - single exposure

For the component/components, either no data is currently available or the data is not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure
						Duration
Diatomaceous earth	Inhalation	silicosis	Causes damage to organs through	Human	NOAEL Not	occupational
(respirable cristobalite			prolonged or repeated exposure		available	exposure
fraction 1-<10%)						1
Diatomaceous earth	Ingestion	hematopoietic	Not classified	Rat	NOAEL	90 days
(respirable cristobalite		system eyes			3,738	
fraction 1-<10%)		kidney and/or			mg/kg/day	
		bladder				

Aspiration Hazard

Name	Value
Mint flavor	Aspiration hazard

Please contact the address or phone number listed on the first page of the SIS for additional toxicological information on this material and/or its components.

The product was evaluated by a toxicologist to be safe for its intended use.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

Page: 8of 11

3MTM ESPETM IMPREGUMTM PENTATM / IMPREGUMTM PENTATM MEDIUM BODY / IMPREGUMTM PENTATM L DUOSOFT/ IMPREGUMTM PENTATM SOFT LB BASE 24/01/2020

No product test data available.

Material	CAS#	Organism	Туре	Exposure	Test endpoint	Test result
Polyether	110531-92-5		Data not available or insufficient for classification			
Diatomaceous earth (respirable cristobalite fraction 1-<10%)	68855-54-9		Data not available or insufficient for classification			
Fatty acid esters	67701-27-3	Green algae	Estimated	72 hours	EC50	>100 mg/l
Fatty acid esters	67701-27-3	Water flea	Estimated	48 hours	EC50	>100 mg/l
Fatty acid esters	67701-27-3	Zebra Fish	Estimated	96 hours	LC50	>100 mg/l
Fatty acid esters	67701-27-3	Green algae	Estimated	72 hours	NOEC	>100 mg/l
Fatty acid esters	67701-27-3	Water flea	Estimated	21 days	NOEC	>100 mg/l
Polyether acetate	91825-26-2		Data not available or insufficient for classification			
Aromatic hydrocarbon	26898-17-9	Water flea	Experimental	48 hours	EC50	>100 mg/l
Aromatic hydrocarbon	26898-17-9	Zebra Fish	Experimental	96 hours	Lethal Level 50%	>100 mg/l
Aromatic hydrocarbon	26898-17-9	Diatom	Experimental	72 hours	NOEC	>100 mg/l
Aromatic hydrocarbon	26898-17-9	Water flea	Experimental	21 days	NOEC	0.03 mg/l
Laurylimidazole	4303-67-7	Green Algae	Experimental	72 hours	EC50	0.00557 mg/l
Laurylimidazole	4303-67-7	Water flea	Experimental	48 hours	EC50	>100 mg/l
Laurylimidazole	4303-67-7	Green algae	Experimental	72 hours	Effect Concentration 10%	0.0021 mg/l
Mint flavor	68917-18-0		Data not available or insufficient for classification			
Mint flavor	98561-44-5		Data not available or insufficient for classification			

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Polyether	110531-92-5	Data not availbl-insufficient			N/A	
Diatomaceous earth (respirable cristobalite fraction 1-<10%)	68855-54-9	Data not availbl-insufficient			N/A	
Fatty acid esters	67701-27-3	Estimated Biodegradation	28 days	BOD	79 % BOD/ThBOD	OECD 301F - Manometric respirometry
Polyether acetate	91825-26-2	Data not availbl-insufficient			N/A	
Aromatic hydrocarbon	26898-17-9	Experimental Biodegradation	28 days	BOD	0 % BOD/ThBOD	OECD 301C - MITI test (I)
Laurylimidazole	4303-67-7	Experimental Biodegradation	28 days	CO2 evolution	2-3 % weight	OECD 301B - Modified sturm or CO2
Mint flavor	98561-44-5	Data not availbl-insufficient			N/A	
Mint flavor	68917-18-0	Data not availbl-insufficient			N/A	

12.3: Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Polyether	110531-92-5	Data not available or	N/A	N/A	N/A	N/A
		insufficient for				

Page: 9of 11

3M™ ESPE™ IMPREGUM™ PENTA™ / IMPREGUM™ PENTA™ MEDIUM BODY / IMPREGUM™ PENTA™ L DUOSOFT/ IMPREGUM™ PENTA™ SOFT LB BASE

24/01/2020

		classification				
Diatomaceous earth (respirable cristobalite fraction 1-<10%)	68855-54-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Fatty acid esters	67701-27-3	Estimated Bioconcentration		Bioaccumulation factor	7.4	Other methods
Polyether acetate	91825-26-2	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Aromatic hydrocarbon	26898-17-9	Experimental BCF-Carp	60 days	Bioaccumulation factor	23000	OECD 305E - Bioaccumulation flow- through fish test
Laurylimidazole	4303-67-7	Estimated Bioconcentration		Bioaccumulation factor	3090	Estimated: Bioconcentration factor
Mint flavor	98561-44-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Mint flavor	68917-18-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Refer to Instructions for Use (IFU) for more information.

EU waste code (product as sold)

Chemicals consisting of or containing dangerous substances. 180106*

SECTION 14: Transportation information

ADR/IATA/IMDG: Not hazardous for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact the manufacturer for more information

SECTION 16: Other information

List of relevant H statements

3MTM ESPETM IMPREGUMTM PENTATM / IMPREGUMTM PENTATM MEDIUM BODY / IMPREGUMTM PENTATM L DUOSOFT/ IMPREGUMTM PENTATM SOFT LB BASE

24/01/2020

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Revision information:

A revision has been performed due to the need to update the safety information for the medical device.

The product to which this Safety Information Sheet applies is classified as a medical device according to the EU Medical Device Regulation EU 2017/745. _x000D_

Medical devices which are invasive or used in direct physical contact with the human body are exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5)._x000D_

The EU Medical Device Regulation does not foresee the use of Safety Data sheets for medical devices which are invasive or used in direct physical contact with the human body, as the safe use of the product is described through the Instructions for Use and /or the labelling for the product. Nevertheless, the 3M Safety Information Sheet is provided as a further service to customers to provide additional toxicology and chemical information on the product. In case of further questions, please contact your 3M representative listed on the Safety Information Sheet.

3M United Kingdom Safety Information Sheets are available at www.3M.com/uk

Page: 11of 11

3M™ ESPE™ IMPREGUM™ PENTA™ / IMPREGUM™ PENTA™ MEDIUM BODY / IMPREGUM™ PENTA™ L DUOSOFT/ IMPREGUM™ PENTA™ SOFT LB CATALYST

21/10/2019



Safety Information Sheet for Medical Devices

Copyright, 2019, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:16-5550-5Version number:1.00Revision date:21/10/2019Supersedes date:Initial issue.

Transportation version number: 1.00 (21/10/2019)

A safety data sheet is not required for this Product. This Safety Information Sheet has been created on a voluntary basis.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

 $3M^{\mathsf{TM}} \ ESPE^{\mathsf{TM}} \ IMPREGUM^{\mathsf{TM}} \ PENTA^{\mathsf{TM}} \ / \ IMPREGUM^{\mathsf{TM}} \ PENTA^{\mathsf{TM}} \ MEDIUM \ BODY \ / \ IMPREGUM^{\mathsf{TM}} \ PENTA^{\mathsf{TM}} \ L \ DUOSOFT \ / \ IMPREGUM^{\mathsf{TM}} \ PENTA^{\mathsf{TM}} \ SOFT \ LB \ CATALYST$

Product Identification Numbers

LE-FSFD-3122-9 EF-SFD6-3122-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Medical device; refer to Instructions for Use

Restrictions on Use

For use only by dental professionals

1.3 Details of the supplier of the safety information sheet for medical devices

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

Telephone: +44 (0)1344 858 000 E Mail: tox.uk@mmm.com Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

This product is a medical device as defined in Directive 93/42/EEC (MDD), which is invasive or used in direct physical contact with the human body, and therefore is exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5). Although not required, the classification and label information, as applicable, is provided below.

Page: 1 of 11

3MTM ESPETM IMPREGUMTM PENTATM / IMPREGUMTM PENTATM MEDIUM BODY / IMPREGUMTM PENTATM L DUOSOFT/ IMPREGUMTM PENTATM SOFT LB CATALYST

21/10/2019

CLASSIFICATION:

Skin Sensitization, Category 1B - Skin Sens. 1B; H317 Reproductive Toxicity, Category 2 - Repr. 2; H361 Specific Target Organ Toxicity-Repeated Exposure, Category 1 - STOT RE 1; H372

For full text of H phrases, see Section 16.

2.2. Label elements CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

DANGER.

Symbols:

GHS07 (Exclamation mark) | GHS08 (Health Hazard) |

Pictograms



Ingredients:

Ingredient CAS Nbr EC No. % by Wt

Sulfonium salt 72140-65-9 276-380-9 10 - 30

HAZARD STATEMENTS:

H317 May cause an allergic skin reaction.
H361f Suspected of damaging fertility.

H372b Causes damage to organs through prolonged or repeated ingestion exposure.

forming organs | respiratory system | sensory organs |

blood or bl

PRECAUTIONARY STATEMENTS

Prevention:

P280E Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Notes on labelling

Silicosis and P260 do not apply based on the nature of this product, no inhalation is expected.

2.3. Other hazards

For information on hazards and safe use, please consider the corresponding sections of this document.

SECTION 3: Composition/information on ingredients

Page: 2of 11

3M™ ESPE™ IMPREGUM™ PENTA™ / IMPREGUM™ PENTA™ MEDIUM BODY / IMPREGUM™ PENTA™ L DUOSOFT/ IMPREGUM™ PENTA™ SOFT LB CATALYST

21/10/2019

Ingredient	CAS Nbr	EC No.	% by Wt	Classification
Citric acid ester	77-90-7	201-067-0	30 - 50	Substance not classified as hazardous
Silane treated silica	68909-20-6	272-697-1	10 - 30	Substance with a Community level exposure
				limit in the workplace
Sulfonium salt	72140-65-9	276-380-9	10 - 30	Acute Tox. 4, H302; Skin Sens. 1B, H317;
				Repr. 2, H361f; STOT RE 1, H372
Diatomaceous earth	68855-54-9	272-489-0	1 - 20	STOT RE 2, H373
Polyglycol	9003-11-6		< 5	Substance not classified as hazardous

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SIS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eve contact

No need for first aid is anticipated.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance Carbon monoxide. Carbon dioxide. Irritant vapours or gases.

Condition

During combustion. During combustion. During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

Page: 3of 11

3MTM ESPETM IMPREGUMTM PENTATM / IMPREGUMTM PENTATM MEDIUM BODY / IMPREGUMTM PENTATM L DUOSOFT/ IMPREGUMTM PENTATM SOFT LB CATALYST

21/10/2019

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SIS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

Refer to Instructions for Use (IFU) for more information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Silicon dioxide	68855-54-9	UK HSC	TWA(as inhalable dust):6 mg/m3;TWA(as	
			respirable dust):2.4 mg/m3	
Quartz	68855-54-9	UK HSC	TWA(respirable):0.1 mg/m3	
Silicon dioxide	68909-20-6	UK HSC	TWA(as inhalable dust):6 mg/m3;TWA(as	
			respirable dust):2.4 mg/m3	

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety information sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Page: 4of 11

3M™ ESPE™ IMPREGUM™ PENTA™ / IMPREGUM™ PENTA™ MEDIUM BODY / IMPREGUM™ PENTA™ L DUOSOFT/ IMPREGUM™ PENTA™ SOFT LB CATALYST

21/10/2019

Skin/hand protection

See Section 7.1 for additional information on skin protection.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Solid. Colour Dark Red **Specific Physical Form:** Paste Slight Acrid Odor Not applicable. рH Boiling point/boiling range Not applicable. Melting point Not applicable. Not classified Flammability (solid, gas) **Explosive properties** Not classified **Oxidising properties** Not classified

Flash point > 93 °C (200 °F)

Autoignition temperatureNot applicable.Flammable Limits(LEL)Not applicable.Flammable Limits(UEL)Not applicable.

Relative density >= 1 [*Ref Std*:WATER=1]

Water solubilityNegligibleViscosityNo data available.Density1.1 g/cm3 - 1.4 g/cm3

9.2. Other information

EU Volatile Organic Compounds

Molecular weight

No data available.

No data available.

Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Strong acids.

Page: 5of 11

3M™ ESPE™ IMPREGUM™ PENTA™ / IMPREGUM™ PENTA™ MEDIUM BODY / IMPREGUM™ PENTA™ L DUOSOFT/ IMPREGUM™ PENTA™ SOFT LB CATALYST

21/10/2019

Strong bases.

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance

None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

Skin contact

Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

May be harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Prolonged or repeated exposure may cause target organ effects:

Ocular effects: Signs/symptoms may include blurred or significantly impaired vision. Bone marrow effects: Signs/symptoms may include generalised weakness, pallor of the skin, fatty infiltration of the bone marrow, decreases in the numbers of circulating blood cells, increased susceptibility to infection. Respiratory effects: Signs/symptoms may include cough, shortness of breath, chest tightness, wheezing, increased heart rate, bluish coloured skin (cyanosis), sputum production, changes in lung function tests, and respiratory failure.

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Carcinogenicity:

Exposures needed to cause the following health effect(s) are not expected during normal, intended use:

Contains a chemical or chemicals which can cause cancer.

Page: 6of 11

$\overline{3M^{\text{TM}}} \, ESPE^{\text{TM}} \, IMPREGUM^{\text{TM}} \, PENTA^{\text{TM}} \, / \, IMPREGUM^{\text{TM}} \, PENTA^{\text{TM}} \, MEDIUM \, BODY \, / \quad IMPREGUM^{\text{TM}} \, PENTA^{\text{TM}} \, L \\ DUOSOFT / \, IMPREGUM^{\text{TM}} \, PENTA^{\text{TM}} \, SOFT \, LB \, CATALYST$

21/10/2019

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE2,000 - 5,000 mg/kg
Citric acid ester	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Citric acid ester	Ingestion	Rat	LD50 > 25,000 mg/kg
Silane treated silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
Silane treated silica	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Silane treated silica	Ingestion	Rat	LD50 > 5,110 mg/kg
Sulfonium salt	Dermal	Rat	LD50 > 2,000 mg/kg
Sulfonium salt	Ingestion	Rat	LD50 300-2,000 mg/kg
Diatomaceous earth	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Diatomaceous earth	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 2.7 mg/l
Diatomaceous earth	Ingestion	Rat	LD50 > 2,000 mg/kg
Polyglycol	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Polyglycol	Ingestion	Rat	LD50 5,700 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Silane treated silica	Rabbit	No significant irritation
Sulfonium salt	Rabbit	Mild irritant
Diatomaceous earth	In vitro data	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
Silane treated silica	Rabbit	No significant irritation
Sulfonium salt	Rabbit	Mild irritant
Diatomaceous earth	Rabbit	Mild irritant

Skin Sensitisation

v /v v w - v - v - v - v - v - v - v - v				
Name	Species	Value		
Silane treated silica	Human and animal	Not classified		
Sulfonium salt	Mouse	Sensitising		
Diatomaceous earth	Mouse	Not classified		

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Silane treated silica	In Vitro	Not mutagenic
Sulfonium salt	In Vitro	Not mutagenic
Diatomaceous earth	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Caremogenety							
Name	Route	Species	Value				
Silane treated silica	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification				
Diatomaceous earth	Inhalation	Human and animal	Carcinogenic.				

Page: 7of 11

3MTM ESPETM IMPREGUMTM PENTATM / IMPREGUMTM PENTATM MEDIUM BODY / IMPREGUMTM PENTATM L DUOSOFT/ IMPREGUM™ PENTA™ SOFT LB CATALYST

21/10/2019

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Silane treated silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Silane treated silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Silane treated silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
Sulfonium salt	Ingestion	Not classified for development	Rat	NOAEL 100 mg/kg/day	premating into lactation
Sulfonium salt	Ingestion	Toxic to female reproduction	Rat	NOAEL 30 mg/kg/day	premating into lactation
Sulfonium salt	Ingestion	Toxic to male reproduction	Rat	NOAEL 30 mg/kg/day	30 days

Target Organ(s)

Specific Target Organ Toxicity - single exposure

specific ranger organization crystalic							
Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration	
Sulfonium salt	Ingestion	respiratory system	Not classified	Rat	NOAEL 300 mg/kg		

Specific Target Organ Toxicity - repeated exposure

Name	Route Target Organ(s) Value S		Species	Test result	Exposure Duration	
Silane treated silica	Inhalation	respiratory system silicosis	Not classified	Human	NOAEL Not available	occupational exposure
Sulfonium salt	Ingestion	bone marrow	Causes damage to organs through prolonged or repeated exposure	Rat	NOAEL 10 mg/kg/day	30 days
Sulfonium salt	Ingestion	respiratory system	May cause damage to organs though prolonged or repeated exposure	Rat	NOAEL 30 mg/kg/day	30 days
Sulfonium salt	Ingestion	eyes	May cause damage to organs though prolonged or repeated exposure	Rat	NOAEL 100 mg/kg/day	30 days
Sulfonium salt	Ingestion	hematopoietic system liver immune system kidney and/or bladder	Not classified	Rat	NOAEL 300 mg/kg/day	30 days
Sulfonium salt	Ingestion	gastrointestinal tract	Not classified	Rat	NOAEL 30 mg/kg/day	30 days
Sulfonium salt	Ingestion	auditory system heart skin endocrine system bone, teeth, nails, and/or hair muscles nervous system vascular system	Not classified	Rat	NOAEL 300 mg/kg/day	30 days
Diatomaceous earth	Inhalation	silicosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
Diatomaceous earth	Ingestion	hematopoietic system eyes kidney and/or bladder	Not classified	Rat	NOAEL 3,738 mg/kg/day	90 days

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SIS for additional toxicological

Page: 8of 11

3MTM ESPETM IMPREGUMTM PENTATM / IMPREGUMTM PENTATM MEDIUM BODY / IMPREGUMTM PENTATM L DUOSOFT/ IMPREGUMTM PENTATM SOFT LB CATALYST 21/10/2019

information on this material and/or its components.

The product was evaluated by a toxicologist to be safe for its intended use.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Type	Exposure	Test endpoint	Test result
Citric acid ester	77-90-7	Bluegill	Experimental	96 hours	LC50	>=38 mg/l
Citric acid ester	77-90-7	Green algae	Experimental	72 hours	EC50	74.4 mg/l
Citric acid ester	77-90-7	Water flea	Experimental	48 hours	EC50	7.82 mg/l
Citric acid ester	77-90-7	Green algae	Experimental	72 hours	NOEC	4.65 mg/l
Citric acid ester	77-90-7	Water flea	Experimental	21 days	NOEC	>1.11 mg/l
Silane treated silica	68909-20-6	Algae	Estimated	72 hours	EC50	>100 mg/l
Sulfonium salt	72140-65-9	Green Algae	Estimated	72 hours	No tox obs at lmt of water sol	>100 mg/l
Sulfonium salt	72140-65-9	Water flea	Estimated	48 hours	No tox obs at lmt of water sol	>100 mg/l
Sulfonium salt	72140-65-9	Zebra Fish	Estimated	96 hours	No tox obs at lmt of water sol	>100 mg/l
Sulfonium salt	72140-65-9	Green Algae	Estimated	72 hours	No tox obs at lmt of water sol	>100 mg/l
Diatomaceous earth	68855-54-9		Data not available or insufficient for classification			
Polyglycol	9003-11-6		Data not available or insufficient for classification			

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Citric acid ester	77-90-7	Experimental	28 days	BOD	48 % weight	Other methods
		Biodegradation				
Silane treated silica	68909-20-6	Data not availbl-			N/A	
		insufficient				
Sulfonium salt	72140-65-9	Experimental Hydrolysis		Hydrolytic half-life	2.08 hours (t	Other methods
					1/2)	
Diatomaceous earth	68855-54-9	Data not availbl-			N/A	
		insufficient				
Polyglycol	9003-11-6	Data not availbl-			N/A	
		insufficient				

12.3: Bioaccumulative potential

Page: 9of 11

3M™ ESPE™ IMPREGUM™ PENTA™ / IMPREGUM™ PENTA™ MEDIUM BODY / IMPREGUM™ PENTA™ L DUOSOFT/ IMPREGUM™ PENTA™ SOFT LB CATALYST

21/10/2019

Citric acid ester	77-90-7	Estimated Bioconcentration		Bioaccumulation factor	5.1	Estimated: Bioconcentration factor
Silane treated silica	68909-20-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Sulfonium salt	72140-65-9	Experimental Bioconcentration		Log Kow	≤0.75	Other methods
Diatomaceous earth	68855-54-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Polyglycol	9003-11-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Refer to Instructions for Use (IFU) for more information.

EU waste code (product as sold)

180106* Chemicals consisting of or containing dangerous substances.

SECTION 14: Transportation information

ADR/IATA/IMDG: Not hazardous for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact the manufacturer for more information

SECTION 16: Other information

List of relevant H statements

H302 Harmful if swallowed.
 H317 May cause an allergic skin reaction.
 H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H372 Causes damage to organs through prolonged or repeated ingestion exposure.
H373 May cause damage to organs through prolonged or repeated exposure.

Revision information:

Revision information not available

Page: 10of 11

3MTM ESPETM IMPREGUMTM PENTATM / IMPREGUMTM PENTATM MEDIUM BODY / IMPREGUMTM PENTATM L DUOSOFT/ IMPREGUMTM PENTATM SOFT LB CATALYST 21/10/2019

The product to which this Safety Information Sheet applies is classified as a medical device according to the EU Medical Device Regulation EU 2017/745. x000D

Medical devices which are invasive or used in direct physical contact with the human body are exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5). x000D

The EU Medical Device Regulation does not foresee the use of Safety Data sheets for medical devices which are invasive or used in direct physical contact with the human body, as the safe use of the product is described through the Instructions for Use and /or the labelling for the product. Nevertheless, the 3M Safety Information Sheet is provided as a further service to customers to provide additional toxicology and chemical information on the product. In case of further questions, please contact your 3M representative listed on the Safety Information Sheet.

3M United Kingdom Safety Information Sheets are available at www.3M.com/uk

Page: 11of 11



Safety Information Sheet for Medical Devices

Copyright, 2020, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

1.00 **Document group:** 35-4551-4 Version number: 06/05/2020 **Revision date: Supersedes date:** Initial issue.

Transportation version number: 1.00 (06/05/2020)

A safety data sheet is not required for this Product. This Safety Information Sheet has been created on a voluntary basis.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3MTM Polyether Adhesive - New Formulation

Product Identification Numbers

70-2011-4442-8

7100059327

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Medical device; refer to Instructions for Use

Restrictions on Use

For use only by dental professionals.

1.3 Details of the supplier of the safety information sheet for medical devices

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

Telephone: +44 (0)1344 858 000 E Mail: tox.uk@mmm.com Website: www 3M com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

This product is a medical device as defined in Directive 93/42/EEC (MDD) respectively Regulation (EU) 2017/745 (MDR), which is invasive or used in direct physical contact with the human body, and therefore is exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5). Although not required, the classification and label information, as applicable, is provided below.

Page: 1of 9

CLASSIFICATION:

Flammable Liquid, Category 2 - Flam. Liq. 2; H225

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319

Specific Target Organ Toxicity-Single Exposure, Category 3 - STOT SE 3; H336

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

DANGER.

Symbols:

GHS02 (Flame) |GHS07 (Exclamation mark) |

Pictograms



Ingredients:

Ingredient CAS Nbr EC No. % by Wt

Ethyl acetate 141-78-6 205-500-4 40 - 70

HAZARD STATEMENTS:

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

PRECAUTIONARY STATEMENTS

Prevention:

P210A Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P261A Avoid breathing vapours.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P370 + P378G In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical of

carbon dioxide to extinguish.

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

For information on hazards and safe use, please consider the corresponding sections of this document.

Page: 2of 9

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EC No.	% by Wt	Classification
Ethyl acetate	141-78-6	205-500-4	40 - 70	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT
				SE 3, H336; EUH066
Silicon resin	68440-70-0		40 - 60	Substance not classified as hazardous

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SIS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eve contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SIS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Page: 3of 9

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Cover spill area with a fire-extinguishing foam. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SIS. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

Refer to Instructions for Use (IFU) for more information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Ethyl acetate	141-78-6	UK HSC	TWA:734 mg/m3(200 ppm);STEL:1468	
			mg/m3(400 ppm)	

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety information sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

See Section 7.1 for additional information on skin protection.

Respiratory protection

None required.

D. . . . 4 .

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Colour Red **Specific Physical Form:** Viscous.

Odor Characteristic Organic solvent

No data available. pН

76.1 °C Boiling point/boiling range

No data available. **Melting point** Flammability (solid, gas) Not applicable. **Explosive properties** Not classified **Oxidising properties** Not classified

Flash point -3.9 °C [Test Method:Closed Cup]

Autoignition temperature No data available.

1.2 % Flammable Limits(LEL) Flammable Limits(UEL) 11.5 %

> 0.9 [Ref Std:WATER=1] Relative density

Water solubility Nil

Viscosity approximately 0.25 Pa-s **Density** approximately 0.9 g/cm3

9.2. Other information

EU Volatile Organic Compounds No data available. Molecular weight No data available. Percent volatile No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Sparks and/or flames.

Heat.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Condition Substance

Carbon monoxide Oxidation, heat or reaction Carbon dioxide. Oxidation, heat or reaction

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient

Page: 5of 9

classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

Contact with the skin during product use is not expected to result in significant irritation.

Eve contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Single exposure may cause target organ effects:

Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value				
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg				
Ethyl acetate	Dermal	Rabbit	LD50 > 18,000 mg/kg				
Ethyl acetate	Inhalation-Vapour (4 hours)	Rat	LC50 70.5 mg/l				
Ethyl acetate	Ingestion	Rat	LD50 5,620 mg/kg				

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Ethyl acetate	Rabbit	Minimal irritation

Serious Eve Damage/Irritation

Name	Species	Value
Ethyl acetate	Rabbit	Mild irritant

Skin Sensitisation

Skin Schististion							
Name	Species	Value					
Ethyl acetate	Guinea pig	Not classified					

Page: 6of 9

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Ethyl acetate	In Vitro	Not mutagenic
Ethyl acetate	In vivo	Not mutagenic

Carcinogenicity

For the component/components, either no data is currently available or the data is not sufficient for classification.

Reproductive Toxicity

Reproductive and/or Developmental Effects

For the component/components, either no data is currently available or the data is not sufficient for classification.

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethyl acetate	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human	NOAEL Not available	
Ethyl acetate	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	
Ethyl acetate	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Human	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethyl acetate	Inhalation	endocrine system liver nervous system	Not classified	Rat	NOAEL 0.043 mg/l	90 days
Ethyl acetate	Inhalation	hematopoietic system	Not classified	Rabbit	LOAEL 16 mg/l	40 days
Ethyl acetate	Ingestion	hematopoietic system liver kidney and/or bladder	Not classified	Rat	NOAEL 3,600 mg/kg/day	90 days

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SIS for additional toxicological information on this material and/or its components.

The product was evaluated by a toxicologist to be safe for its intended use.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Type	Exposure	Test endpoint	Test result
Ethyl acetate	141-78-6	Crustacea	Experimental	48 hours	EC50	165 mg/l
Ethyl acetate	141-78-6	Fish	Experimental	96 hours	LC50	212.5 mg/l
Ethyl acetate	141-78-6	Green Algae	Experimental	72 hours	NOEC	>100 mg/l
Ethyl acetate	141-78-6	Water flea	Experimental	21 days	NOEC	2.4 mg/l
Silicon resin	68440-70-0		Data not available or insufficient for classification			

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Ethyl acetate	141-78-6	Experimental Photolysis		Photolytic half-life (in	20.0 days (t 1/2)	Other methods
				air)		
Ethyl acetate	141-78-6	Experimental Biodegradation	14 days	BOD	94 % BOD/ThBOD	OECD 301C - MITI test
-						(I)
Silicon resin	68440-70-0	Data not availbl-insufficient			N/A	

12.3: Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Ethyl acetate	141-78-6	Experimental Bioconcentration		Log Kow	0.68	Other methods
Silicon resin	68440-70-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Refer to Instructions for Use (IFU) for more information.

EU waste code (product as sold)

180106* Chemicals consisting of or containing dangerous substances.

SECTION 14: Transportation information

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Page: 8of 9

Global inventory status

Contact the manufacturer for more information

SECTION 16: Other information

List of relevant H statements

EUH066 Repeated exposure may cause skin dryness or cracking.

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Revision information:

Revision information not available

The product to which this Safety Information Sheet applies is classified as a medical device according to the EU Medical Device Regulation EU 2017/745. _x000D_

Medical devices which are invasive or used in direct physical contact with the human body are exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5)._x000D_ The EU Medical Device Regulation does not foresee the use of Safety Data sheets for medical devices which are invasive or used in direct physical contact with the human body, as the safe use of the product is described through the Instructions for Use and /or the labelling for the product. Nevertheless, the 3M Safety Information Sheet is provided as a further service to customers to provide additional toxicology and chemical information on the product. In case of further questions, please contact your 3M representative listed on the Safety Information Sheet.

3M United Kingdom Safety Information Sheets are available at www.3M.com/uk

Page: 9of 9