# Genios Veneers Opaquer

Version: Material no.

Revision date:

Specification 187826 01.02.2019 Issue date: VA-Nr 01906948

replaces version:

Page: 1/11



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier** 1.1.

Trade name Genios Veneers Opaquer

REACH Registration No.: if available listed in Chapter. 3

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified For dental use only.

#### Details of the supplier of the safety data sheet 1.3.

Company DeguDent GmbH

> Postfach 1364 D-63403 Hanau

Telephone +49 (0)6181/59-5576 Telefax +49 (0)6181/59-5879

Email address SDB.Degudent-DE@dentsplysirona.com

#### 1.4. **Emergency telephone number**

**Emergency information** +49 (0)6181/59-50 (This telephone number is available during office

hours only.)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids Category 2 H225 Skin corrosion/irritation H315 Category 2 Category 1 Skin Sensitisation H317 Specific Target Organ Toxicity - Single exposure Category 3 H335

(inhalation)

#### 2.2. Label elements

## Labelling as per (EU) 1272/2008

EU-CLP as per Regulation (EU) No. 1272/2008, Annex VI

# hazard-defining component(s) (GHS)

· methyl methacrylate

Hazard pictograms



# Genios Veneers Opaquer

Version: Material no.

Revision date:

Specification 187826 Issue date: 01.02.2019 VA-Nr 01906948

replaces version:

Page: 2/11

> Signal word Danger

Hazard statement H225 - Highly flammable liquid and vapour.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H335 - May cause respiratory irritation.

P280 - Wear protective gloves/ eye protection/ face protection. Precautionary statement: P260 - Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

Dentsply

sources. No smoking.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed. Precautionary statement:

Storage

Precautionary statement: P501 - Dispose of contents/container in accordance with local regulation.

Disposal

#### 2.3. Other hazards

When heated, formation of explosive vapour/air mixtures., Danger of bursting of closed systems to vigorous exothermic polymerization. Avoid uncontrolled polymerization.

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

## SECTION 3: Composition/information on ingredients

### **Chemical nature**

The preparation contains:, acrylic resin based on: methyl methacrylate, initiators, stabilisers, Pigments

#### 3.1. **Substances**

#### 3.2. **Mixtures**

# Information on ingredients / Hazardous components as per EU-CLP Regulation (EC) No. 1272/2008

• methyl	methacrylate		> 50%			
Skin Sens	sion/irritation	EC-No.	201-297-1 e (inhalation)	Category 2 Category 2 Category 1 Category 3	H225 H315 H317 H335	
• 7,7,9 (or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diyl-bismethacrylate < 25%						
CAS-No.	72869-86-4	EC-No.	276-957-5			

Texts of H phrases, see in Chapter 16

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Take off all contaminated clothing immediately.

#### Inhalation

Move victims into fresh air.

Obtain medical attention.

### Skin contact

Wash off immediately with soap and plenty of water.

Obtain medical attention.

### Genios Veneers Opaquer

Version: Material no.

Revision date:

Specification 187826 01.02.2019 Issue date: VA-Nr 01906948

replaces version:

Page: 3 / 11

# Eye contact

With eye held open, thoroughly rinse immediately with plenty of water for at least 5 minutes. Consult an ophthalmologist.

# Ingestion

Do NOT induce vomiting.

Have the mouth rinsed with water.

Have patient drink plenty of water in small sips.

Obtain medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

### **Symptoms**

No information available.

#### Indication of any immediate medical attention and special treatment needed 4.3.

If skin sensitisation has developed and a causal relationship has been confirmed, further exposure should not beallowed

Dentsply Sirona

# **SECTION 5: Firefighting measures**

#### 5.1. **Extinguishing media**

Suitable extinguishing media: quenching powder

> Carbon dioxide (CO2) Alcohol-resistant foam

Unsuitable extinguishing media: Water

#### 5.2. Special hazards arising from the substance or mixture

In case of combustion or decomposition of the product, the fumes produced lead to irritations or inflammations of the respiratory tract.

When heated, formation of explosive vapour/air mixtures.

#### 5.3. Advice for firefighters

In case of fire cool containers or take them to a safe place.

Use water spray to cool unopened containers.

In the case of fire, wear respiratory protective equipment independent of surrounding air and chemical protective suit.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Keep unauthorized persons away.

Wear personal protective equipment.

Avoid contact with skin, eyes and clothing.

#### 6.2. **Environmental precautions**

Prevent substance from entering soil, natural bodies of water and sewer systems., Avoid penetration into drainage system or in rooms situated at a lower level because of danger of explosion.

#### Methods and material for containment and cleaning up 6.3.

Remove all sources of ignition.

Absorb with liquid-binding material, e.g. inert absorbent, sand, universal binding agents.

Pick up mechanically with a suitable device and collect in a suitable container.

### Additional advice

Ensure explosion proofness. Dispose of contaminated material as a waste in a correct manner.

#### 6.4. Reference to other sections

Wear personal protective equipment; see section 8.

Disposal considerations; see section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

### Genios Veneers Opaquer

Version: Material no.

Revision date:

Specification 187826 Issue date: 01.02.2019 VA-Nr 01906948

replaces version:

Page: 4/11

Always close container tightly after removal of product.

Avoid light effect heat sun rays. Vapors are heavier than air.

Only fill up to 90 % of the container as air is required to stabilize.

#### 7.2. Conditions for safe storage, including any incompatibilities

# Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

product is highly flammable.

Vapours are heavier than air and may spread along floors.

Formation of flammable or explosive vapour/air mixtures possible. Danger of explosion

Dentsply Sirona

Explosion-proof installations required.

Take precautionary measures against static discharges.

Keep containers tightly closed in a dry, cool and well-ventilated place.

Ensure there is good room ventilation.

## German storage class

3 - Flammable liquids

#### 7.3. Specific end use(s)

We are unaware of any specific end uses which go beyond the data reported in Section 1.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. **Control parameters**

#### 8.2. **Exposure controls**

## **Engineering measures**

Ensure suitable suction/aeration at the work place and with operational machinery.

# Personal protective equipment

# Respiratory protection

If workplace exposure limit is exceeded apply Respirator with brown A-type filter.

### Hand protection

Wear protective gloves made of the following materials: solvent-resistant material.

Glove material butyl-rubber Material thickness 0.5 mm Break through time 60 min

Source: GESTIS substance database (hazardous substance information system of Method

commercial professional associations)

The suitability for a specific workplace should be discussed with the producers of the protective gloves.,

The exact break through time can be obtained from the protective glove producer and this has to be observed.

Preventive skin protection, Use barrier cream regularly.

### Eye/face protection

goggles

### Skin and body protection

Immediately change moistened and saturated work clothes., Apply adequate skin protection agents before handling the product. Assure skin cleaning and skin care after work. Preventive skin protection is recommended.

### Hygiene measures

Do not eat, drink, smoke, or sniff while at work. Wash your hands and/or face before breaks and before termination of work., If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used., Avoid contact with skin and eyes., After contact with skin, wash immediately with plenty of water., If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used.

# **Genios Veneers Opaquer**

Version: 1.0 / GB Material no.

Revision date:

Issue date: 01.02.2019

replaces version:

Page: 5 / 11

187826 Dentsply Sirona

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

**Appearance** 

Form liquid colourless
Odour ester-like

Odour threshold: no data available

pH not applicable

Melting point/range -48.2 °C

tested substance: methyl methacrylate

Specification

VA-Nr

Boiling point/range 100.3 °C (1013 hPa)

Method: DIN 51 751 tested substance:

methyl methacrylate

Flash point 10 °C

Method: DIN 51 755

tested substance: methyl methacrylate

Evaporation rate no data available

Flammability (solid, gas) no data available

Lower explosion limit 2.1 %(V)

tested substance: methyl methacrylate

Upper explosion limit 12.5 %(V)

tested substance: methyl methacrylate

Vapour pressure 38.7 hPa (20 °C)

tested substance: methyl methacrylate

Density 0.94 g/cm3 (20 °C)

Method: DIN 51757 tested substance: methyl methacrylate

Water solubility 15.9 g\_l (20 °C)

tested substance: methyl methacrylate

Partition coefficient: n-

octanol/water

Autoinflammability

POW: 1.38 tested substance: methyl methacrylate

Not capable of spontaneous combustion or heating.

# Genios Veneers Opaquer

Version: Material no.

Revision date:

Specification 187826 01.02.2019 Issue date: 01906948 VA-Nr

replaces version:

Page: 6/11

> Thermal decomposition no data available

0.63 mPa.s (20 °C) Viscosity, dynamic

> Method: Brookfield method

Dentsply Sirona

tested substance: methyl methacrylate

Explosiveness Vapours can form explosive mixtures with air.

Oxidizing properties no data available

#### 9.2. Other information

430 °C Ignition temperature

> Method: DIN 51 794

tested substance:, methyl methacrylate

Other information No further physicochemical data were determined.

# **SECTION 10: Stability and reactivity**

# Reactivity

Vapours may form explosive mixture with air.

### 10.2. Chemical stability

Stable under recommended storage conditions.

# 10.3. Possibility of hazardous reactions

Danger of bursting of closed systems to vigorous exothermic Possibility of hazardous

reactions polymerization. Avoid uncontrolled polymerization.

### 10.4. Conditions to avoid

Avoid exposure to light /sunlight, Protect from heat sources of ignition.

### 10.5. Incompatible materials

Product polymerizes on contact with radical generating substances such as peroxides, azo compounds, heavy metal compounds, solutions.

# 10.6. Hazardous decomposition products

Heating can release vapours which can be ignited.

### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

LD50 Rat: > 5000 mg/kg Acute oral toxicity

> Method: **OECD Test Guideline 401** methyl methacrylate Test substance:

literature

Acute inhalation toxicity LC50 Rat: 29.8 mg/l / 4 h

> methyl methacrylate Test substance:

(literature value)

LD50 Rabbit: > 5000 mg/kg Acute dermal toxicity

> methyl methacrylate Test substance:

literature

Skin irritation irritating

> methyl methacrylate Test substance:

literature

# **Genios Veneers Opaquer**

Version: 1.0 / GB Material no.

Revision date:

01.02.2019

Specification VA-Nr 187826 01906948



Issue date: replaces version:

-

Page: 7 / 11

Eye irritation slightly irritating

Test substance: methyl methacrylate

literature

Sensitization May cause sensitisation by skin contact.

Test substance: methyl methacrylate

literature

Repeated dose toxicity inhalative Rat

Testing period: 2 Jahre NOAEL: 25 mg/kg

target organ/effect: irritative effects, skin linings

Test substance: methyl methacrylate

literature

Oral Rat

Testing period: 2 Jahre NOAEL: 2000 mg/kg

Test substance: methyl methacrylate

drinking water analysis, no therapy-related results, literature

Assessment of STOT single

exposure

no data available

Assessment of STOT repeat

exposure

no data available

Risk of aspiration toxicity no data available

Gentoxicity in vitro positive and negative

Test substance: methyl methacrylate

literature

Gentoxicity in vivo no evidence of mutagenic effects

Test substance: methyl methacrylate

literature

Mutagenicity assessment in vivo: no evidence of mutagenic effects

carcinogenicity assessment no evidence that cancer may be caused, literature., tested substance:,

methyl methacrylate

Toxicity to reproduction no data available

teratogenicity assessment no evidence of teratogenic properties, tested substance:, methyl

methacrylate

# **SECTION 12: Ecological information**

12.1. Toxicity

Toxicity to fish LC50 Lepomis macrochirus: 191 mg/l / 96 h

Test substance: methyl methacrylate

literature

Oncorhynchus mykiss: > 79 mg/l / 96 h Test substance: methyl methacrylate

Method: OECD 203

literature

# Genios Veneers Opaquer

Version: Material no.

Revision date: Specification

01.02.2019 Issue date:

replaces version:

Page: 8/11 Dentsply Sirona

187826

01906948

EC50 Daphnia magna: 68 mg/l / 48 h Toxicity in aquatic invertebrates

methyl methacrylate Test substance:

VA-Nr

**OECD 202** Method:

(literature value)

EC50 Daphnia magna: 49 mg/l / 21 d Test substance: methyl methacrylate OECD 202 part 2 Method:

(literature value)

EC50 selenastrum capricornutum: 170 mg/l / 96 h Toxicity to algae

> methyl methacrylate Test substance:

**OECD 201** Method:

literature

EC0 Pseudomonas putida: 100 mg/l Toxicity to bacteria

> Test substance: methyl methacrylate

literature

## 12.2. Persistence and degradability

Biodegradability Exposure time: 14 Tage

> Readily biodegradable. Result: 94 %

methyl methacrylate Test substance:

OECD 301 C Method:

### 12.3. Bioaccumulative potential

Significant bioaccumulation need not be expected. Bioaccumulation

12.4. Mobility in soil

Mobility If the product penetrates the soil it will become mobile and might pollute

the groundwater.

# 12.5. Results of PBT and vPvB assessment

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

## 12.6. Other adverse effects

Further Information Introduction into soil, natural water bodies or sewerage must be prevented.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### **Product**

Disposal according to local authority regulations.

# **Uncleaned packaging**

Disposal according to local authority regulations.

### Genios Veneers Opaquer

Version: Material no.

Revision date:

Specification 01.02.2019 Issue date: VA-Nr

replaces version:

Page: 9 / 11



187826

01906948

# **SECTION 14: Transport information**

## Transport on land (ADR/RID/GGVSEB)

14.1. UN number: UN 1247

14.2. UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

SOLUTION

14.3. Transport hazard class(es): 3 14.4. Packing group: Ш 14.5. Environmental hazards: 14.6. Special precautions for user: Yes

ADR: Tunnel Restriction Code: (D/E)

ADR: Measures as 2.2.3.2.2 ADR/RID/ADN have been applied., Observe listed materials regulation

§35, paragraph 1 GGVSEB

RID: Measures as 2.2.3.2.2 ADR/RID/ADN have been applied.

# Inland waterway transport (ADN/GGVSEB (Germany))

14.1. UN number:

14.2. UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

**SOLUTION** 

14.3. Transport hazard class(es): 3 Ш 14.4. Packing group: 14.5. Environmental hazards: 14.6. Special precautions for user: Yes

Measures as 2.2.3.2.2 ADR/RID/ADN have been applied.

# Air transport ICAO-TI/IATA-DGR

14.1. UN number: UN 1247

14.2. UN proper shipping name: Methyl methacrylate monomer, stabilized solution

14.3. Transport hazard class(es): 3 14.4. Packing group: Ш 14.5. Environmental hazards: 14.6. Special precautions for user: Yes

> ERG-Code 3L IATA-C: IATA-P: **ERG-Code 3L**

# Sea transport IMDG-Code/GGVSee (Germany)

14.1. UN number: UN 1247

14.2. UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

**SOLUTION** 

14.3. Transport hazard class(es): 3 Ш 14.4. Packing group: 14.5. Environmental hazards: 14.6. Special precautions for user: Yes EmS: F-E,S-D

Clear of living quarters.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

for transportapproval see regulatory information

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **National legislation**

employment restriction Note employment restrictions for pregnant and lactating women., Note

employment restrictions for minors.

# 15.2. Chemical safety assessment

Chemical safety assessment No Chemical Safety Report as per Articles 2(8), 2(9) or 14 of the REACH

## Genios Veneers Opaquer

Version: Material no.

Revision date:

Specification 187826 01.02.2019 Issue date: VA-Nr 01906948

replaces version:

Page: 10 / 11



Regulatione is required for this product.

### **SECTION 16: Other information**

Classification and applied procedure to derive the classification of mixtures according to EU Regulation (EC) No. 1272/2008 (CLP)

Classification	Classification procedure	
Flam. Liq., 2 , H225		
Skin Corr./Skin Irrit., 2, H315		
Skin.sens., 1 , H317		
STOT SE, 3, H335		

# Relevant H phrases from chapter 3

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

#### **Further information**

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

Legend

**ADR** European Agreement concerning the International Carriage of Dangerous Goods by

**ADN** European Agreement concerning the International Carriage of Dangerous Goods by

**Inland Waterways** 

ASTM American Society for Testing and Materials

**ATP** Adaptation to Technical Progress

**BCF** Bioconcentration factor

**BetrSichV** German Ordinance on Industrial Safety and Health

C.C. closed cup

CAS **Chemical Abstract Services** 

**CESIO** European Committee of Organic Surfactants and their Intermediates

ChemG German Chemicals Act

carcinogenic-mutagenic-toxic for reproduction CMR

DIN German Institute for Standardization

**DMEL** Derived minimum effect level

**DNEL** Derived no effect level

European Inventory of Existing Commercial Chemical Substances **EINECS** 

**EC50** half maximal effective concentration

**GefStoffV** German Ordinance on Hazardous Substances

**GGVSEB** German ordinance for road, rail and inland waterway transportation of dangerous

**GGVSee** German ordinance for sea transportation of dangerous goods

GLP Good Laboratory Practice **GMO** Genetic Modified Organism

IATA International Air Transport Association **ICAO** International Civil Aviation Organization

# **Genios Veneers Opaquer**

Version: Material no.

Revision date:

Specification 187826 01.02.2019 Issue date: VA-Nr 01906948

replaces version:

Page: 11 / 11

> **IMDG** International Maritime Dangerous Goods ISO International Organization For Standardization

Lowest observed adverse effect level LOAEL

LOEL Lowest observed effect level **NOAEL** No observed adverse effect level NOEC no observed effect concentration

NOEL no observed effect level

O. C. open cup

Organisation for Economic Cooperation and Development OECD

OEL Occupational Exposure Limit **PBT** Persistent, bioaccumulative, toxic **PEC** Predicted effect concentration **PNEC** Predicted no effect concentration

**REACH REACH** registration

**RID** Convention concerning International Carriage by Rail

Specific Target Organ Toxicity STOT **SVHC** Substances of Very High Concern

**Technical Instructions** TA

Third Party Representative (Art. 4) **TPR** 

**TRGS** Technical Rules for Hazardous Substances VCI German chemical industry association vPvB very persistent, very bioaccumulative

VOC volatile organic compounds

**VwVwS** German Administrative Regulation on the Classification of Substances Hazardous to

Dentsply Sirona

Waters into Water Hazard Classes

WGK Water Hazard Class World Health Organization **WHO**