according to the Globally Harmonized System

# **Bacillol 30 Sensitive Foam**

Version Revision Date: SDS Number: Date of last issue: 16.11.2023 1.17 12.03.2024 R11923 Date of first issue: 28.08.2019

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH

Melanchthonstraße 27 22525 Hamburg (Germany) Tel.: +49 (0)40 / 54 00 60

Supplier : Paul Hartmann AG

Paul-Hartmann-Str. 12 89522 Heidenheim Deutschland

Tel.: +49 (0)7321 / 36 - 0

Responsible Department : Scientific Affairs

sds@bode-chemie.de

Emergency telephone number : Poison Center Göttingen

24h-Phone +49 (0)551 / 1 92 40

# 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Flammable liquids : Category 3

Serious eye damage/eye irritation : Category 2A

**GHS** label elements

Hazard pictograms :





Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal

plant.

according to the Globally Harmonized System

# **Bacillol 30 Sensitive Foam**

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol	64-17-5	>= 10 - < 20
Propan-2-ol	67-63-0	>= 10 - < 20
Propan-1-ol	71-23-8	>= 3 - < 10
Amines, N-C10–C16-alkyltrimethylenedi-, reaction	139734-65-9	>= 0,1 - < 0,25
products with chloroacetic acid		

# 4. FIRST AID MEASURES

General advice : If you feel unwell, seek medical advice (show the label where possi-

ble).

In case of skin contact : Wash off with plenty of water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

If swallowed : Rinse mouth.

Do NOT induce vomiting.

Most important symptoms and

effects, both acute and delayed

Causes serious eye irritation.

Notes to physician : For specialist advice physicians should contact the Poisons Infor-

mation Service.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable extinguishing media : none

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Standard procedure for chemical fires.

Special protective equipment for

firefighters

Use personal protective equipment.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency pro-

cedures

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

Environmental precautions : Should not be released into the environment.

Methods and materials for con-

tainment and cleaning up

Clean-up methods - small spillage

Wipe up with absorbent material (e.g. cloth, fleece).

R11923 2 / 13 International

according to the Globally Harmonized System

# **Bacillol 30 Sensitive Foam**

Clean-up methods - large spillage

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

Advice on protection against fire :

and explosion

Take measures to prevent the build up of electrostatic charge.

Provide sufficient air exchange and/or exhaust in work rooms.

Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

Advice on safe handling : Avoid contact with eyes.

Conditions for safe storage : Store in original container.

Keep tightly closed.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of ex-	Control parameters / Permissible con-	Basis
		posure)	centration	
Ethanol	64-17-5	STEL	1.000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Propan-1-ol	71-23-8	TWA	100 ppm	ACGIH

# Biological occupational exposure limits

Components	CAS-No.	Control pa- rameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

## Personal protective equipment

Eye protection : Always wear eye protection when the potential for inadvertent eye

contact with the product cannot be excluded.

Safety glasses with side-shields conforming to EN166

Hygiene measures : Handle in accordance with good industrial hygiene and safety prac-

tice.

Keep away from food and drink.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : alcohol-like

pH : 7,5 - 8,5

R11923 3 / 13 International

according to the Globally Harmonized System

# **Bacillol 30 Sensitive Foam**

Boiling point/boiling range : > 80 °C

Flash point : 31 °C

Method: ISO 3679

Lower explosion limit / Lower

flammability limit

2 %(V)

Vapour pressure : No data available

Density : 0,952 g/cm3 (20 °C)

Solubility(ies)

Water solubility : completely miscible

# 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat

Strong sunlight for prolonged periods.

Incompatible materials : None.

Hazardous decomposition prod-

ucts

No decomposition if stored and applied as directed.

# 11. TOXICOLOGICAL INFORMATION

# **Acute toxicity**

Not classified based on available information.

## **Components:**

Ethanol (CAS: 64-17-5):

Acute oral toxicity : LD50 Oral (Rat): 10.470 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 51 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Propan-2-ol (CAS: 67-63-0):

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

Propan-1-ol (CAS: 71-23-8):

Acute oral toxicity : LD50 Oral (Rat): 8.000 mg/kg

Method: OECD Test Guideline 401

R11923 4 / 13 International

according to the Globally Harmonized System

# **Bacillol 30 Sensitive Foam**

Acute inhalation toxicity : LC50 (Rat): > 33,8 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rabbit): 4.032 mg/kg

Method: OECD Test Guideline 402

Amines, N-C10-C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-

9):

Acute oral toxicity : LD50 Oral (Rat): > 660 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Ethanol (CAS: 64-17-5):

Species : human skin
Result : Mild skin irritation

Remarks : Based on available data, the classification criteria are not met.

Propan-2-ol (CAS: 67-63-0):

Species : Rabbit

Result : No skin irritation

Propan-1-ol (CAS: 71-23-8):

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Amines, N-C10-C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-

9):

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : Corrosive after 4 hours or less of exposure

GLP : yes

Serious eye damage/eye irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species : Chicken eye

Method : OECD Test Guideline 438

Result : Irritating to eyes.

GLP : yes

**Components:** 

Ethanol (CAS: 64-17-5):

R11923 5 / 13 International

according to the Globally Harmonized System

# **Bacillol 30 Sensitive Foam**

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.

Propan-2-ol (CAS: 67-63-0):

Species : Rabbit
Result : Eye irritation

Propan-1-ol (CAS: 71-23-8):

Species : Rabbit

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

Amines, N-C10-C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-

9):

Species : Rabbit

Method : OECD Test Guideline 405
Result : Risk of serious damage to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Components:** 

Ethanol (CAS: 64-17-5):

Species : Mouse

Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

Propan-2-ol (CAS: 67-63-0):

Test Type : Buehler Test Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

Propan-1-ol (CAS: 71-23-8):

Test Type : Maximisation Test Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Propan-2-ol (CAS: 67-63-0):

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Propan-1-ol (CAS: 71-23-8):

Genotoxicity in vitro : Test Type: in vitro assay

R11923 6 / 13 International

according to the Globally Harmonized System

# **Bacillol 30 Sensitive Foam**

Result: negative

## Carcinogenicity

Not classified based on available information.

## Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

## Repeated dose toxicity

**Product:** 

Remarks : Not classified

#### **Aspiration toxicity**

Not classified based on available information.

# **Experience with human exposure**

No data available

#### Experience with human exposure

No data available

# **Neurological effects**

No data available

## 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

# Components:

Ethanol (CAS: 64-17-5):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 11.200 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 9.268 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 ( Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Chlorella vulgaris (Fresh water algae)): 9,6 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Propan-2-ol (CAS: 67-63-0):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.692 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.285 mg/l

Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 141 mg/l

# **Bacillol 30 Sensitive Foam**

Exposure time: 16 d

EC50 (Pseudokirchneriella subcapitata (green algae)): 10.500 mg/l Toxicity to algae/aquatic plants

Exposure time: 72 h

Propan-1-ol (CAS: 71-23-8):

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 4.554 mg/l

Exposure time: 96 h

Test Type: flow-through test Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.300 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants NOEC (Chlorella pyrenoidosa (algae)): 1.150 mg/l

Exposure time: 48 h

Test Type: Growth inhibition

EC50 (Pseudokirchneriella subcapitata (green algae)): 9.170 mg/l

Exposure time: 72 h Test Type: Growth inhibition

IC50 (Bacteria): > 1.000 mg/l Toxicity to microorganisms

Exposure time: 3 h

Method: OECD Test Guideline 209

Amines, N-C10-C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 207,4 µg/l

> Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,0333 mg/l

Exposure time: 48 h Test Type: semi-static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,0237 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,00955

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) 10

Toxicity to fish (Chronic toxicity) NOEC: 0,0523 mg/l

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other

aquatic invertebrates (Chronic

toxicity)

NOEC: 2,3 µg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

R11923 8 / 13 International

according to the Globally Harmonized System

# **Bacillol 30 Sensitive Foam**

M-Factor (Chronic aquatic toxici: 1

tv)

Persistence and degradability

**Product:** 

Biodegradability : Remarks: Expected to be ultimately biodegradable

**Components:** 

Ethanol (CAS: 64-17-5):

Biodegradability : Result: Readily biodegradable.

Propan-2-ol (CAS: 67-63-0):

Biodegradability : Result: rapidly biodegradable

Propan-1-ol (CAS: 71-23-8):

Biodegradability : Result: Readily biodegradable.

Amines, N-C10-C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-

9):

Biodegradability : aerobic

Result: Readily biodegradable. Biodegradation: 94 %

Exposure time: 28 d

Method: OECD Test Guideline 301A

**Bioaccumulative potential** 

**Components:** 

Ethanol (CAS: 64-17-5):

Partition coefficient: n- : log Pow: -0,35

octanol/water

Propan-2-ol (CAS: 67-63-0):

Partition coefficient: n- : log Pow: 0,05

octanol/water

Propan-1-ol (CAS: 71-23-8):

Partition coefficient: n- : log Pow: 0,25

octanol/water

Amines, N-C10-C16-alkyltrimethylenedi-, reaction products with chloroacetic acid (CAS: 139734-65-

9):

Partition coefficient: n- : log Pow: 3,82

octanol/water

Mobility in soil

**Components:** 

Propan-2-ol (CAS: 67-63-0):

Distribution among environmen- : Remarks: Mobile in soils

tal compartments

R11923 9 / 13 International

according to the Globally Harmonized System

# **Bacillol 30 Sensitive Foam**

# Other adverse effects

**Product:** 

Adsorbed organic bound halo-

gens (AOX)

Remarks: Product does not contain any organic halogens.

## 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Dispose of as hazardous waste in compliance with local and national

regulations.

Waste codes should be assigned by the user, preferably in discus-

sion with the waste disposal authorities.

Contaminated packaging : Empty remaining contents.

Store containers and offer for recycling of material when in accord-

ance with the local regulations.

## 14. TRANSPORT INFORMATION

**ADR** 

UN number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

(ethanol, propan-2-ol)

Class : 3
Packing group : III
Labels : 3
Hazard Identification Number : 30
Tunnel restriction code : (D/E)
Limited quantity (LQ) : 5,00 L
Environmentally hazardous : no

**UNRTDG** 

UN number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

(ethanol, propan-2-ol)

Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1987
Proper shipping name : Alcohols, n.o.s.

(ethanol, propan-2-ol)

Class : 3 Packing group : III

Labels : Flammable Liquids

Packing instruction (cargo air- : 366

craft)

Packing instruction (passenger :

aircraft)

355

**IMDG-Code** 

UN number : UN 1987

Proper shipping name : ALCOHOLS, N.O.S.

(ethanol, propan-2-ol)

Class : 3

R11923 10 / 13 International

according to the Globally Harmonized System

# **Bacillol 30 Sensitive Foam**

Packing group : III
Labels : 3
EmS Code : F-E, S-D
Limited quantity (LQ) : 5,00 L
Marine pollutant : no

# Transport in bulk according to IMO instruments

Not applicable for product as supplied.

# Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

# Other international regulations

The components of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

## **16. OTHER INFORMATION**

Revision Date : 12.03.2024

Date format : yyyy/mm/dd

# Safety datasheet sections which have been updated:

- 3. Composition/information on ingredients
- 11. Toxicological information

# **Further information**

# **Bacillol 30 Sensitive Foam**

#### NFPA:

# Health 1 0 Instability

Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS -Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or

according to the Globally Harmonized System

# **Bacillol 30 Sensitive Foam**

quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN